	FILA INDUSTRIA C	HIMICA S.P.A.	Revision nr. 15
surface care solutions			
			Dated 01/12/2016 Printed on 14/12/2016
	DETERD	EK	Page n. 1/13
	Safaty data	chaot	
	Safety data	311661	
SECTION 1. Identification	n of the substance/mixture and	d of the company/u	ndertaking.
1.1. Product identifier.			
Product name.	DETERDEK		
	e substance or mixture and uses advised descaling floor cleaning.	against.	
Identified Uses	Industrial.	Professional.	Consumer.
Uses	✓	~	✓
1.3. Details of the supplier of the s			
Name. Full address.	FILA INDUSTRIA CHIMI Via Garibaldi, 58	CA S.P.A.	
District and Country.	35018 San Martino di Lu ITALIA	upari (PD)	
	Tel. +39.049.9467300		
	Fax. +39.049.9460753		
e-mail address of the competent personsible for the Safety Data Shee			
1.4. Emergency telephone number			
For urgent inquiries refer to.	TEL +39.049.9467300		444 (In England and Walso), NUC 24
	- +44 08454 24 24 24 (In		<sup>,</sup> 111 (In England and Wales); NHS 24
SECTION 2. Hazards ider	ntification.		
2.1. Classification of the substanc	o or mixturo		
	e or mixture.		
supplements). The product thus require	us pursuant to the provisions set forth in es a safety datasheet that complies with the the risks for health and/or the environment a	provisions of EC Regulation	1907/2006 and subsequent amendments.
Hazard classification and indication:			
Serious eye damage, category 1	H318 H315	Causes serious eye d Causes skin irritation.	
Skin irritation, category 2	пото	Causes skin initiation.	
2.2. Label elements.			
Hazard labelling pursuant to EC Regul	lation 1272/2008 (CLP) and subsequent am	endments and supplements.	
Hazard pictograms:			

		FILA	INDUSTRI	A CHIMICA	S.P.A.	Revision nr. 15
			DETI	ERDEK		Dated 01/12/2016 Printed on 14/12/2016 Page n. 2/13
Signal words:	Danger					
Hazard statements:						
H318 H315		erious eye damage. kin irritation.				
Precautionary statements:						
P101 P102 P280 P302+P352 P305+P351+P338 P310 P362+P364	Keep out Wear prof IF ON SK IF IN EYE rinsing. Immediate	advice is needed, ha of reach of children. tective gloves / eye pr IN: wash with plenty of S: Rinse cautiously w ely call a POISON CE contaminated clothing	otection / face p of water / vith water for sev	veral minutes. Re		es, if present and easy to do. Continue
Contains:		ORIC ACID C12-14, ethoxylated				
Ingredients according to R	egulation (E	<u>C) No. 648/2004</u>				
Less than 5% 15% or over but less than 30%	non-ionic phosphate	surfactants, es,				
perfumes, Hexyl Cinnamal	dehyde,					
2.3. Other hazards.						
On the basis of available d	ata, the proc	duct does not contain	any PBT or vPv	B in percentage g	preater than 0,1%.	
SECTION 3. Com	position	/information o	n ingredien	nts.		

# 3.1. Substances.

Information not relevant.

## 3.2. Mixtures.

Contains:

The full wording of hazard (H) phrases is given in section 16 of the sheet. **Identification.** 

PHOSPHORIC ACID

Classification 1272/2008 (CLP).

	FILA INDUSTR	IA CHIMICA S.P.A.	Revision nr. 15
surface care solutions			Dated 01/12/2016
		ERDEK	Printed on 14/12/2016
	DLI		Page n. 3/13
CAS. 7664-38-2	19 ≤ x < 24	Met. Corr. 1 H290, Skin Corr. 1B H314, Note B	
EC. 231-633-2		,	
INDEX. 015-011-00-6			
Reg. no. 01-2119485924-24 Alcohols C12-14, ethoxylated			
CAS. 68439-50-9	1 ≤ x < 1,5	Acute Tox. 4 H302, Eye Dam.	
		1 H318, Aquatic Chronic 3 H412	
EC		11712	
INDEX			
SECTION 4. First aid mea	asures.		
4.1. Description of first aid measu	res.		
EYES: Remove contact lenses, if pre advice/attention.	sent. Wash immediately with plent	y of water for at least 30-60 minute	es, opening the eyelids fully. Get medical
			vomiting unless explicitly authorised by a
			ent scene. If the subject stops breathing,
administer artificial respiration. Take s	uitable precautions for rescue worker	rs.	
4.2. Most important symptoms and	d effects, both acute and delayed.		
Specific information on symptoms and			
For symptoms and effects caused by t	ne contained substances, see chap.	11.	
4.3. Indication of any immediate m	nedical attention and special treatr	nent needed	
Information not available.			
SECTION 5. Firefighting	measures.		
5.1. Extinguishing media.			
SUITABLE EXTINGUISHING EQUIPM			
Extinguishing substances are: carbon disperse flammable vapours and prote		or product loss or leakage that has no	ot caught fire, water spray can be used to
UNSUITABLE EXTINGUISHING EQU Do not use jets of water. Water is not e		be used to cool containers exposed to	o flames to prevent explosions.
,	,		
5.2. Special hazards arising from t	he substance or mixture.		
HAZARDS CAUSED BY EXPOSURE Excess pressure may form in containe	-	on. Do not breathe combustion produ	icts.

FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 15
	Dated 01/12/2016
DETERDEK	Printed on 14/12/2016 Page n. 4/13

#### 5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6.** Accidental release measures.

#### 6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

### **SECTION 7. Handling and storage.**

### 7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 15
	Dated 01/12/2016
DETERDEK	Printed on 14/12/2016
	Page n. 5/13

# 7.3. Specific end use(s).

Information not available.

# SECTION 8. Exposure controls/personal protection.

## 8.1. Control parameters.

Regulatory References:

CZE	Česká Republika	Nařízení vlády č. 361/2007 Sb. kterým se stanoví podmínky ochrany zdraví při práci
DEU	Deutschland	MAK-und BAT-Werte-Liste 2012
DNK	Danmark	Graensevaerdier per stoffer og materialer
ESP	España	INSHT - Límites de exposición profesional para agentes químicos en España 2015
FIN	Suomi	HTP-arvot 2012. Haitallisiksi tunnetut pitoisuudet - Sosiaali- ja
		terveysministeriön julkaisuja 2012:5
FRA	France	JORF n°0109 du 10 mai 2012 page 8773 texte n° 102
GBR	United Kingdom	EH40/2005 Workplace exposure limits
GRC	Ελλάδα	ΕΦΗΜΕΡΙΣ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ -ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 19 - 9
		Φεβρουαρίου 2012
HRV	Hrvatska	NN13/09 - Ministarstvo gospodarstva, rada i poduzetništva
HUN	Magyarország	50/2011. (XII. 22.) NGM rendelet a munkahelyek kémiai biztonságáról
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NLD	Nederland	Databank of the social and Economic Concil of Netherlands (SER) Values, AF 2011:18
NOR	Norge	Veiledning om Administrative normer for forurensning i arbeidsatmosfære
POL	Polska	ROZPORZĄDZENIE MINISTRA PRACY I POLITYKI SPOŁECZNEJ z dnia 16 grudnia 2011r
PRT	Portugal	Ministério da Economia e do Emprego Consolida as prescrições mínimas em matéria de protecção dos trabalhadores contra os riscos para a segurança e a saúde devido à exposição a agentes químicos no trabalho -
		Diaro da Republica I 26; 2012-02-06
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 20. júna 2007
SWE	Sverige	Occupational Exposure Limit Values, AF 2011:18
TUR	Türkiye	2000/39/EC sayılı Direktifin ekidir
EU	OEL EU	Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC.
	TLV-ACGIH	ACGIH 2016

## PHOSPHORIC ACID

Threshold Limit Value.	Country	TWA/8h		STEL/15min		
Туре	Country					
		mg/m3	ppm	mg/m3	ppm	
TLV	CZE	1		2		
AGW	DEU	2		4		INHAL.
MAK	DEU	2		4		INHAL.
TLV	DNK	1				
VLA	ESP	1		2		

		FILA	INDUSTRI	A CHIMIC	A S.P.A.	Revision nr. 15
			DET	ERDEK		Dated 01/12/2016 Printed on 14/12/2016 Page n. 6/13
HTP	FIN	1		2		
VLEP	FRA	1	0,2	2	0,5	
WEL	GBR	1		2		
TLV	GRC	1		3		
GVI	HRV	1		2		
AK	HUN	1		2		
VLEP	ITA	1		2		
OEL	NLD	1		2		
TLV	NOR	1				
NDS	POL	1		2		
VLE	PRT	1		2		
NPHV	SVK	1		2		
MAK	SWE	1		3		
ESD	TUR	1		2		
OEL	EU	1		2		
TLV-ACGIH		1		3		

Health - Derived no-effect level - DNEL / DMEL

Effects on				Effects on			
Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
			systemic		systemic		systemic
		0.70 m m/m 0		0		$1 ma/m^2$	VND
	Effects on consumers. Acute local	consumers.	consumers. Acute local Acute systemic Chronic local	consumers. Acute local Acute systemic Chronic local Chronic systemic	consumers. workers Acute local Acute systemic Chronic local Chronic Acute local systemic	consumers. workers Acute local Acute systemic Chronic local Chronic Acute local Acute systemic systemic systemic	consumers. workers Acute local Acute systemic Chronic local Chronic Acute local Acute Chronic local

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

#### 8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of

<u>/AR</u>	FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 15
		Dated 01/12/2016
	DETERDEK	Printed on 14/12/2016
		Page n. 7/13

various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## **SECTION 9.** Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance Colour Odour Odour threshold. pH. Melting point / freezing point. Initial boiling point. Boiling range. Flash point. Evaporation Rate Flammability of solids and gases Lower inflammability limit. Upper inflammability limit. Upper explosive limit. Upper explosive limit. Upper explosive limit. Vapour pressure. Vapour density Relative density. Solubility Partition coefficient: n-octanol/water Auto-ignition temperature.	liquid transparent Typical princkly smell with floral fragrance Not available. 1 Not available. Not available. > 60 °C. Not available. Not available.
Auto-ignition temperature. Decomposition temperature.	Not available. Not available.
Viscosity	Not available.
Explosive properties Oxidising properties	Not available. Not available.
9.2. Other information.	
VOC (Directive 2010/75/EC) : VOC (volatile carbon) :	< 0.01 % 0

## **SECTION 10. Stability and reactivity.**

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

PHOSPHORIC ACID

<b>FILR</b>	FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 15
surface care solutions		Dated 01/12/2016
	DETERDEK	Printed on 14/12/2016 Page n. 8/13
Decomposes at temperatures above	200°C/392°F.	
10.2. Chemical stability.		
The product is stable in normal condit	tions of use and storage.	
10.3. Possibility of hazardous rea	ctions.	
	ble in normal conditions of use and storage.	
PHOSPHORIC ACID Risk of explosion on contact with: nitr	omethane.May react dangerously with: alkalis,sodium borohydride.	
10.4. Conditions to sucid		
10.4. Conditions to avoid.		
None in particular. However the usua	l precautions used for chemical products should be respected.	
10.5. Incompatible materials.		
PHOSPHORIC ACID	lis,aldehydes,organic sulphides,peroxides.	
ncompatible with metals, strong alka	is, aluenyues, organic sulphices, peroxides.	
10.6. Hazardous decomposition p	products.	
PHOSPHORIC ACID /lay develop: phosphoryl oxides.		
SECTION 11. Toxicologi	cal information.	
11.1. Information on toxicologica	l effects.	
ACUTE TOXICITY.		
C50 (Inhalation - vapours) of the mix	ture:Not classified (no significant component).	
.D50 (Innalation - mists / powders) of .D50 (Oral) of the mixture:>2000 mg/ .D50 (Dermal) of the mixture:Not clas	f the mixture:Not classified (no significant component). /kg ssified (no significant component).	
PHOSPHORIC ACID		

PHOSPHORIC ACID LD50 (Oral).1530 mg/kg Rat

<b>FIN</b>	FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 15
surface care solutions		Dated 01/12/2016
-	DETERDEK	Printed on 14/12/2016
	DETERDER	Page n. 9/13
_D50 (Dermal).2740 mg/kg Rabbit		
$_{\rm C50}$ (Inhalation).> 0,85 mg/l/1h Rat		
SKIN CORROSION / IRRITATION.		
Causes skin irritation.		
SERIOUS EYE DAMAGE / IRRITATIO	N.	
Causes serious eye damage. RESPIRATORY OR SKIN SENSITISA	ΓΙΟΝΙ	
Does not meet the classification criteria		
GERM CELL MUTAGENICITY.		
Does not meet the classification criteria	for this hazard class.	
CARCINOGENICITY. Does not meet the classification criteria	for this hazard alasa	
REPRODUCTIVE TOXICITY.	TOT THIS HAZAID CLASS.	
Does not meet the classification criteria	for this hazard class.	
STOT - SINGLE EXPOSURE.		
Does not meet the classification criteria STOT - REPEATED EXPOSURE.	for this hazard class.	
Does not meet the classification criteria	for this bazard class	
ASPIRATION HAZARD.		
Does not meet the classification criteria		
	for this hazard class.	

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity.

PHOSPHORIC ACID	
LC50 - for Fish.	3,25 mg
EC50 - for Crustacea.	> 100 n
EC50 - for Algae / Aquatic	> 100 n

3,25 mg/l/96h Lepomis macrochirus > 100 mg/l/48h Daphnia magna

> 100 mg/l/72h Desmodesmus subspicatus

Plants.

12.2. Persistence and degradability.

PHOSPHORIC ACID Solubility in water.

> 850000 mg/l

Biodegradability: Information not available.

Alcohols C12-14, ethoxylated Rapidly biodegradable.

95% 14d

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

Information not available.

	Dated 01/12/2016
DETERDEK	Printed on 14/12/2016
DETERDER	Page n. 10/13

#### 12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects.

Information not available.

# **SECTION 13.** Disposal considerations.

### 13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information.**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number.

Not applicable.

14.2. UN proper shipping name.

Not applicable.

### 14.3. Transport hazard class(es).

Not applicable.

### 14.4. Packing group.

Not applicable.

<b>Z</b> WN:	FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 15
surface care solutions		
		Dated 01/12/2016
	DETERDEK	Printed on 14/12/2016
		Page n. 11/13
14.5. Environmental hazards.		
Not applicable.		
14.6. Special precautions for user.		
Not applicable.		
14.7. Transport in bulk according to	Annex II of Marpol and the IBC Code.	
Information not relevant.		
CECTION 45 Demulatory	information	
SECTION 15. Regulatory	Information.	
15.1. Safety, health and environme	ental regulations/legislation specific for the substance or mixture.	
Seveso Category - Directive 2012/18/E	EC:	
Restrictions relating to the product or c	contained substances pursuant to Annex XVII to EC Regulation 1907/200	8
		<u>.</u>
Product. Point.	3	
Substances in Candidate List (Art. 59 I	REACH).	
On the basis of available data, the proc	duct does not contain any SVHC in percentage greater than 0,1%.	
Substances subject to authorisarion (A	nnex XIV REACH).	
None.		
Substances subject to exportation repo	orting pursuant to (EC) Reg. 649/2012:	
None.		
Substances subject to the Rotterdam (	Convention:	
None.		
Substances subject to the Stockholm (	Convention:	
None.		
Healthcare controls.		

# FILA INDUSTRIA CHIMICA S.P.A.

Revision nr. 15

Dated	01/12/2016	j

# DETERDEK

Printed on 14/12/2016 Page n. 12/13

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004.

FILX

Ingredients according to Regulation (EC) No. 648/2004.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

#### 15.2. Chemical safety assessment.

A chemical safety assessment has been performed for the following contained substances.

### PHOSPHORIC ACID

### **SECTION 16.** Other information.

Methods of evaluating information referred to in 1272/2008 Article 9 which was used for the purpose of classification: expert judgement.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Met. Corr. 1	Substance or mixture corrosive to metals, category 1
Wet. Coll. 1	Substance of mixture conosive to metals, category i
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- **OEL: Occupational Exposure Level**
- PBT: Persistent bioaccumulative and toxic as REACH Regulation

	FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 15
		Dated 01/12/2016
	DETERDEK	Printed on 14/12/2016 Page n. 13/13
<ul> <li>TLV: Threshold Limit Value</li> <li>TLV CEILING: Concentration that sho</li> <li>TWA STEL: Short-term exposure limi</li> <li>TWA: Time-weighted average exposu</li> <li>VOC: Volatile organic Compounds</li> </ul>	ion ational transport of dangerous goods by train puld not be exceeded during any time of occupational exposure. t ire limit	
<ul> <li>vPvB: Very Persistent and very Bioac</li> <li>WGK: Water hazard classes (German</li> </ul>		
GENERAL BIBLIOGRAPHY 1. Regulation (EU) 1907/2006 (REACH 2. Regulation (EC) 1272/2008 (CLP) of 3. Regulation (EU) 790/2009 (I Atp. CL 4. Regulation (EU) 2015/830 of the Eur 5. Regulation (EU) 286/2011 (II Atp. Cl 6. Regulation (EU) 286/2011 (II Atp. Cl 7. Regulation (EU) 487/2013 (IV Atp. Cl 8. Regulation (EU) 487/2013 (IV Atp. Cl 9. Regulation (EU) 605/2014 (VI Atp. Cl 10. Regulation (EU) 2015/1221 (VII	the European Parliament P) of the European Parliament opean Parliament .P) of the European Parliament LP) of the European Parliament .P) of the European Parliament LP) of the European Parliament .CLP) of the European Parliament b. CLP) of the European Parliament ductor and the European Parliament .cclP) of the	rsion. Users must verify the suitability and